

Fyrehalt - V vertical fire curtain systems


2 hour protection from fire and smoke

January 2014



+64 9 300 1980

www.smokecontrol.co.nz



Smoke Control's Full Life Cycle Service ensures that at any stage of the project – from design through to commissioning – the only company responsible is Smoke Control

100% QUALITY



The Fyrehalt - V overhead coiling vertical fire curtain was designed and engineered in Australia.

The Fyrehalt - V vertical fire curtain is a budget priced fire curtain system designed to suit smaller openings of up to 8m x 3m (nominal).

So why the Fyrehalt - V?

- Small to medium size openings (up to 8m wide)
- Compact head box
- Reduced lead times
- High quality product
- 1 year conditional warranty

Made in Australia

- | | | | |
|---|---|---|--|
| • Economical design | • Highly reliable, tested to 30,000 maintenance free cycles | • The worlds most experienced installation team | • Smoke (air) leakage tested in accordance with AS1530.7 |
| • no additional import duties and freight charges | • High quality motors | • 2 hour fire <u>and</u> smoke containment | |
| • Reduce sub-contract risk with local supply | • High quality Australian designed controllers | • Fire tested in accordance with AS1530.4 | |
| • Made from quality galvanised mild steel | | | |



100% Customer Service



Smoke Control offers obligation free technical support throughout your design and documentation stage. We are also happy to provide obligation free pricing so that you can accurately prepare your budgets

We have also prepared a complete kit for your documentation requirements. Simply download from our web site a complete set of specifications and drawings. If you would like our drawings in DWG format, simply give our technical department a call or email your request.

We will endeavour to respond the same day !

info@smokecontrol.co.nz

TECHNICAL SUPPORT by qualified engineers and draftspeople

**MASTER
SPECIFICATIONS**

Download

DESIGN DETAILS

Download



100% Flexibility



Compact in design, the Fyrehalt - V overhead coiling vertical fire curtain is designed to be concealed in the ceiling cavity.

The system is supplied with a bottom bar cover as standard, maximising value for money and aesthetic finish.

The system can also be installed and left fully exposed, negating the need for the concealed bottom bar cover.

Fyrehalt - V has been full scale fire tested in both plasterboard (stud wall) and masonry construction in strict accordance with AS1530.4, UL10D and EN1364.

Of course, the system is power fail safe requiring no back up power supplies to function when required.

Other accessories include;

- Battery backup to reduce nuisance deploys
- Linear obstruction sensors
- Radial obstruction sensors
- Powder coated finish
- Rewind switches
- Fabric applied signage:
Eg; green running man, arrows, text etc.

