

Smokehalt - V vertical smoke curtain systems


Protection from hot smoke and gases up to 8m wide

January 2014



+64 9 300 1980

www.smokecontrol.co.nz



Smoke Control's Full Life Cycle Service ensures that at any stage of the project – from design through to commissioning – the only company responsible is Smoke Control

100% QUALITY



The Smokehalt - V overhead coiling vertical Smoke curtain was designed and engineered in Australia.

The Smokehalt -V vertical smoke curtain is a budget priced smoke curtain system designed to suit smaller openings of up to 8m wide without overlaps depending on the drop height required.

So why the Smokehalt - V?

- Small to medium size openings (up to 8m wide)
- Compact head box 165 x 160mm
- Reduced lead times
- High quality product
- 1 year conditional warranty

Made in Australia

- Economical design
- No additional import duties and freight charges
- Made from quality galvanised mild steel
- Highly reliable, tested to 30,000 maintenance free cycles
- High quality motors
- High quality Australian designed controllers
- Tested in accordance with EN12101.1 and BS7346.3 Smokehalt is available with various performance levels from D30 through to DH120
- Available with and without side guides
- The worlds most experienced installation team

100% Customer Service



Smoke Control offers obligation free technical support throughout your design and documentation stage. We are also happy to provide obligation free pricing so that you can accurately prepare your budgets

A complete kit including specifications and drawings for your documentation requirements is available for download from our mobile friendly web site. If you would like our drawings in DWG format, simply give our technical department a call or email your request.

We will endeavour to respond the same day !

info@smokecontrol.co.nz

TECHNICAL SUPPORT by qualified engineers and draftspeople

**MASTER
SPECIFICATIONS**

Download

DESIGN DETAILS

Download



Compact in design, the Smokehalt - V overhead coiling vertical smoke curtain is designed to be concealed in the ceiling cavity.

The system is supplied with a bottom bar cover as standard, maximising value for money and aesthetic finish.

The system can also be installed and left fully exposed, negating the need for the concealed bottom bar cover.

Of course, the system is power fail safe requiring no back up power supplies to function when required.

Other accessories include;

- Battery backup to reduce nuisance deploys
- Linear obstruction sensors
- Radial obstruction sensors
- Powder coated finish
- Curtain mounted rewind switches
- Fabric applied signage:
Eg; green running man, arrows, text etc.

